



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/518,196

07/25/2005

Kai Desinger

3254

5577

21834 7590 10/01/2007
BECK AND TYSVER P.L.L.C.
2900 THOMAS AVENUE SOUTH
SUITE 100
MINNEAPOLIS, MN 55416

EXAMINER

HOLMES, REX R

ART UNIT

PAPER NUMBER

3762

MAIL DATE

DELIVERY MODE

10/01/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/518,196

Applicant(s)

DESINGER ET AL.

Examiner

Rex Holmes

Art Unit

3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 December 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 12/16/04;8/23/06.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-7, 11 are rejected under 35 U.S.C. 102(e) as being anticipated by Pearson et al. (U.S. Pub. 2003/0212394 hereinafter "Pearson").
3. Regarding claims 1-3, Pearson discloses an electrode needle with a shaft (12), active electrodes on the shaft (18) and a nuclear magnetic resonance marker that is coated on the shaft or the electrodes (¶¶ 65, 80).
4. Regarding claim 4, the introducer is coated and the electrode extends outside of the introducer (Fig. 9G; ¶65).
5. Regarding claim 5 and 11, the introducer is a wire and the wire is coated with the marker (¶¶ 65, 67).
6. Regarding claim 6, the needle has a lumen (16), a shaft (18) and a wire (15).
7. Regarding claim 7, Pearson discloses that the needle has a casing surrounding a lumen and a wire (Fig. 11).

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

10. Claims 8-10 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pearson as applied to claim 1 above, and further in view of Weber et al. (U.S. Pat. 5,908,410 hereinafter "Weber").

11. Regarding claims 8-10 and 16, Pearson discloses the claimed invention including that the marker is magnopaque and can be located on the sheath, on the electrode inside the casing, or attached before the electrode (Col. 6, ll. 59-67; Col. 7, ll. 1-5; Col. 10, ll. 47-49, Figs. 2-11), but Pearson fails to explicitly disclose that the marker is a ferromagnetic material. However, Weber teaches that it is known to use ferromagnetic material as set forth in Column 1, lines 15-21 to provide a disturbance in the magnetic

Art Unit: 3762

field in a nuclear magnetic resonance field so as to produce a visible image on the viewing screen of a magnetic resonance imaging device. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the magnopaque marker as taught by Pearson, with a ferromagnetic material as taught by Weber since such a modification would provide the device of Pearson with a ferromagnetic marker that would disturb the magnetic field in a nuclear magnetic resonance field so as to produce a visible image on the viewing screen of a magnetic resonance imaging device.

12. Claims 8-10 and 12-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pearson as applied to claim 1 above, and further in view of Gisselberg et al. (U.S. Pub. 2003/0052785 hereinafter "Gisselberg").

13. Regarding claims 8-10 and 12-16, Pearson discloses the claimed invention including that the marker is magnopaque and can be located on the sheath, on the electrode inside the casing, or attached before the electrode (Col. 6, ll. 59-67; Col. 7, ll. 1-5; Col. 10, ll. 47-49, Figs. 2-11), but Pearson fails to explicitly disclose that the marker is a ferromagnetic material and that the ferromagnetic marker is coiled and tuned to the frequency of the Magnetic Resonance Imaging Device. However, Gisselberg teaches that it is known to use coiled ferromagnetic material tuned to a resonate frequency as set forth in Paragraphs 7, 8, 57, 73 and Claim 21 to provide a disturbance in the magnetic field in a nuclear magnetic resonance field so as to produce a visible image on the viewing screen of a magnetic resonance imaging device. It would have been obvious to one having ordinary skill in the art at the time the invention was made to

Art Unit: 3762

modify the magnopaque marker as taught by Pearson, with a ferromagnetic material as taught by Gisselberg since such a modification would provide the device of Pearson with a ferromagnetic coiled marker tuned to the magnetic resonance frequency so that it would disturb the magnetic field in a nuclear magnetic resonance field so as to produce a visible image on the viewing screen of a magnetic resonance imaging device.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rex Holmes whose telephone number is 571-272-8827. The examiner can normally be reached on M-F 8:00 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 571-272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3762

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Rex Holmes
Examiner
Art Unit 3762



GEORGE R. EVANISKO
PRIMARY EXAMINER

9/26/17